

Cylinder Breathing Air



**Leading The Safety
Industry Since 1984**

www.airsystems.com

Breathing Air Transporter™

Breathing Air Where You Need It!



Patent Pending




Key Details:

- Steel frame with black powder coat paint
- 4 outlet manifold with regulator, relief valve, whistle alarm, and pressure gauges
- Universal CGA-346/CGA-347 wrench tight connectors allow use of 2400 psi or 4500 psi cylinders. 6000 psi connectors available.
- Pneumatic Tires:
 - Rear twin 21" tires - highway rated
 - Front swivel 10" tire rated for 350 lbs. - swivel stowed up when towing on highway
- Lunette ring for Pintle Hitch connection
- Lift Required from horizontal to vertical mode: two persons using 45 lbs. of lift
- Trailer Dimensions: Length 94", Height 25", Width 36"
- Vertically Stored Dimensions: Height 70"
- Weight:
 - Empty 262 lbs.
 - With two 444 cf air cylinders 570 lbs.

So Many Ways to Use!

The Breathing Air Transporter™ holds two large air cylinders and contains a 4-outlet breathing air manifold. The BAT can be towed or used as a mobile push cart in several configurations. Fork lift guides and a center lift eye are included for easy transportation to where you need it.



Breathing Air Transporter™ (BAT) Large Air Cylinder Trailer

Item No.	Description
BAT-2B	BAT 2-cylinder air cart, 5000 psi, pneumatic alarm whistle.
AC-300	300 cf CGA-346, 2400 psi, steel, DOT/TC approved
AC-444	444 cf CGA-347, 4500 psi, steel, DOT/TC/ISO/UN approved
AC-472	472 cf CGA-347, 5000 psi, steel, DOT/TC/ISO/UN approved

Cylinders Not Included

Breathing Air Transporter™ (BAT) Setup
Brochure Available at www.AirSystems.com



Other colors available. Contact
Customer Service for more information.

Ergo-Air® Cart

Air Systems' innovative air cylinder cart has been ergonomically designed to help prevent back injuries and facilitate mobility. The Ergo-Air® Cart features one-hand operation during raising or lowering of the air control panel and cylinders.

The Ergo-Air® Cart offers numerous options: tire type, storage cabinet, hose reel type, and length of hose to store. Let us customize an Ergo-Air® Cart for your work requirements.



Basic Ergo-Air® Cart
Semi-Pneumatic Tires
EAC-97HNB

Add features to build
the perfect cart
for your application

**To Build A Custom
Ergo-Air® Cart, Contact
Customer Service to Walk
You Through the Steps!**

**Helps Reduce
Back Injuries**
Ergonomically Designed Mobile
Breathing Air Cart System



Key Details:

- Air pressure regulator rated for 2400, 5000, and 6000 psi
- Steel air control panel with 4-outlet respirator manifold
- 16" semi-pneumatic or pneumatic rear tires
- Front locking swivel casters (6" or 8")
- High pressure hardware with in-line check valves
- Twin cylinder straps with padded brackets
- Cart lifting hooks
- Raising the cart takes 15 lbs. of force
- Lowering the cart takes only 35 lbs. of force
- Cart dimensions: 32" W x 41" D x 62" H - semi-pneumatic tires, no accessories
- Cart dimensions: 40" W x 44" D x 62" H - pneumatic tires, no accessories
- Weight: 156 Lbs. - cart only



**Ergo-Air® Cart
EAC-97SB2M**

Semi-pneumatic tires, upper storage cabinet, and two manual reels.



**Ergo-Air® Cart
EAC-97PS2A**

Pneumatic tires, upper storage cabinet, and two automatic reels.



**Ergo-Air® Cart
EAC-97SBM3**

Semi-pneumatic tires, upper storage cabinet, and manual reel.

Cylinders & Hose Sold Separately

Ergo-Air® Carts - Hazardous Locations

Item No.	Description
	Pneumatic Tires
EAC-97PHNB	Ergo-Air® cart, 5000 psi regulator, low pressure whistle, pneumatic tires
EAC-97PS2A	Ergo-Air® cart, 5000 psi regulator, upper storage box, low pressure whistle, auto hose reels (2) - holds 50 feet of 3/8" hose
EAC-97PS3M	Ergo-Air® cart, 5000 psi regulator, upper storage box, low pressure whistle, manual hose reel (1) - holds 200 feet of 1/2" or 300 foot of 3/8" hose
EAC-97PSM2	Ergo-Air® cart, 5000 psi regulator, upper storage box, low pressure whistle, manual hose reels (2) - holds 100 feet of 3/8" hose per reel
	Semi-Pneumatic Tires
EAC-97HNB	Ergo-Air® cart, 5000 psi regulator, low pressure whistle, semi-pneumatic tires
EAC-97SBA2	Ergo-Air® cart, 5000 psi regulator, upper storage box, low pressure whistle, auto hose reels (2) - holds 50 feet of 3/8" hose per reel
EAC-97SBM3	Ergo-Air® cart, 5000 psi regulator, upper storage box, low pressure whistle, manual hose reel (1) - holds 200 feet of 1/2" or 300 foot of 3/8" hose
EAC-97SB2M	Ergo-Air® cart, 5000 psi regulator, upper storage box, low pressure whistle, manual hose reels (2) - holds 100 feet of 3/8" hose per reel

Hose and Cylinders Sold Separately

Ordering Made Easy:
One part number to order a standard Ergo-Air® Cart.

See the Ergo-Air® Cart Brochure for Custom Options at www.airsystems.com or Call Customer Service to Build a Custom Cart.

Ergo-Air® Cart Accessories

Item No.	Description
	Breathing Air Hose
H-50-3	3/8" Hose - 50 foot length - 1/4" Hansen fittings
H-100-3	3/8" Hose - 100 foot length - 1/4" Hansen fittings
H-300-3	3/8" Hose - 300 foot length - 1/4" Hansen fittings
H-200-5	1/2" Hose - 200 foot length - 1/2" Hansen fittings
	Air Storage Cylinders
AC-300	300 cf CGA-346, 2400 psi, steel, DOT/TC approved
AC-444	444 cf CGA-347, 4500 psi, steel, DOT/TC/ISO/UN approved
AC-472	472 cf CGA-347, 5000 psi, steel, DOT/TC/ISO/UN approved
	Other Options
EAC-C	Nylon cart cover - fits all Ergo-Air® carts

Other Hose Lengths & Fittings Available



Ergo-Air® is a Registered Trademark of Air Systems International, Inc.

MULTI-PAK™ Air Cylinder Carts

MULTI-PAK™ SCBA cylinder carts are designed with portability in mind.

Ideal for hazardous locations and emergency response.



**MULTI-PAK™
2 Cylinder
High Pressure Cart
MP-4H**



**MULTI-PAK™
2 Cylinder
Rescue Cart
MP-4R**



**MULTI-PAK™
Cart Cover
MP-C**



Key Details:

- Holds 2216 PSI or 4500 PSI cylinders
- Steel frame with black powder coat paint
- Intrinsically safe low pressure alarm whistle (bell alarm option)
- Input and output pressure gauges
- Solid aluminum block manifold
- Fold down handle
- 8" semi-pneumatic tires
- Dimensions: 21" L x 16" W x 41" H (handle up), 34.5" (handle down)
- Weight: 49 lbs. (no cylinders)

MULTI-PAK™ Small Air Cylinder Carts

Item No.	Description
MP-2L	MULTI-PAK™ 2 cylinder air cart, 2216 psi, supplied with 2-outlet manifold, CGA-346 wrench tight nuts
MP-2H	MULTI-PAK™ 2 cylinder air cart, 4500 psi, supplied with 2-outlet manifold, CGA-347 hand tight nuts
MP-4H	MULTI-PAK™ 2 cylinder air cart, 4500 psi, supplied with 4-outlet manifold, high flow regulator, universal CGA fits CGA-346 or 347, hand tight nuts
MP-4R	MULTI-PAK™ Rescue Cart, holds 2 cylinders, 4500 psi, supplied with 4-outlet manifold. Additional details on page 53.
MP-TR1	Tech-Rescue™ Cart, 1/4" Hansen style or Schrader style fittings standard. Additional details on page 52.
MP-C	Cart cover - 400 denier black nylon for small MP-series carts



**Custom applications
always welcome!**

Air Storage Cylinders

Item No.	Description
AC-60	60 cf CGA-346, 2216 psi, aluminum, DOT/TC/ISO/UN
AC-87	87 cf CGA-347, 4500 psi, fully wrapped carbon fiber, DOT/TC approved

MULTI-PAK™ Large Cylinder Air Carts



MULTI-PAK™
Large Cylinder Air Cart
MP-2300HNB



MULTI-PAK™
Large Cylinder Air Cart
MP-2300ENB



MULTI-PAK™
Cart Cover
MP-2300C

Large Cylinder Air Carts - Cylinder Pressures 2400 PSI to 5000 PSI

The MULTI-PAK™ series of large air cylinder carts are designed for long duration industrial applications and built for mobility and function. The carts incorporate protected recessed controls, equipment storage boxes, a narrow profile for maneuverability, 16" pneumatic tires, and quick-release hose hangers.

Key Details:

- Universal hand tight nuts (CGA-347) - fits 2400 to 5000 psi cylinders
- Solid aluminum block manifold
- High flow adjustable regulator
- Input and output pressure gauges
- Steel storage box with latch
- Quick release hose rack - holds 200 feet of 3/8" hose
- 16" pneumatic tires
- Dimensions: 62" H x 25" W x 30" D
- Cart Only weight: 112 lbs. no cylinders



Steel Rear Storage Box



Hose Storage Rack Holds 200 Feet of 3/8" Hose



MULTI-PAK™ Large Air Cylinder Carts

Item No.	Description
MP-2300ENB	MULTI-PAK™ 2 cylinder air cart, 5000 psi, pneumatic alarm whistle (bell alarm available) for Hazardous Locations. 112 lbs. with no cylinders.
MP-2300HNB	MULTI-PAK™ 2 cylinder air cart, 5000 psi, electronic alarm whistle for Non-Hazardous Locations. 115 lbs. with no cylinders.
MP-2300C	Black nylon cart cover for 2300 series carts

Cylinders Not Included

Air Storage Cylinders

Item No.	Description
AC-300	300 cf CGA-346, 2400 psi, steel, DOT/TC approved
AC-444	444 cf CGA-347, 4500 psi, steel, DOT/TC/ISO/UN approved
AC-472	472 cf CGA-347, 5000 psi, steel, DOT/TC/ISO/UN approved

LIFT-PAK™ - Air Cylinder Transport PAK™

The LIFT-PAK™ is designed for ease of lifting and securing multiple air cylinders. The LIFT-PAK™ can be supplied with a respirator regulator, manifold, safety relief valve, low pressure alarm whistle, hardware, and cylinders (sold separately). The frame is manufactured with heavy gauge aluminum and includes a center lift hook. Steel options available.

All LIFT-PAK™ units are made to order.



LIFT-PAK™
BR-6AL
Order Hardware
and Cylinders
Separately

LIFT-PAK™ Aluminum - "The Shark Cage"

Item No.	Description
BR-6AL	6-cylinder LIFT-PAK™ with fork guides and lift hook
BR-4AL	4-cylinder LIFT-PAK™ with fork guides and lift hook

Cylinders and Hardware Not Included

Systems can be ordered with cylinders and all hardware supplied at pressures up to 6000 psi. Racks can be designed to slide-in vehicles.

**Certified Load Testing
Available For An
Additional Charge.**

Breathing Air Cylinder Storage Racks

Custom heavy-duty steel storage racks can be ordered in any combination to meet cylinder storage requirements. Racks can be floor or wall mounted in either vertical or horizontal style. Two heavy gauge chains with snap hooks are supplied for each row of cylinders. Optional forklift guides available.

Air Cylinder
Wire Rack
TR-4



Cylinders Not Included With Storage Racks

Single Cylinder
Storage Rack
BR-1



Economical SCBA / SCUBA Cylinder Rack

Item No.	Description
TR-4	4-cylinder rack, steel wire basket, floor mountable, 34" L x 8¾" W x 11" H

Large Air Cylinder Storage Racks

Item No.	Description
BR-1	1-cylinder wide rack
BR-2	2-cylinder wide rack
BR-3	3-cylinder wide rack
BR-22	2 deep x 2 wide, 4-cylinder rack
BR-23	2 deep x 3 wide, 6-cylinder rack



Breathing Air Cylinders



AC-60



AC-87



AC-444

Air Storage Cylinders

Item No.	Description
AC-60	60 cf CGA-346, 2216 psi, aluminum, DOT/TC/ISO/UN
AC-87	87 cf CGA-347, 4500 psi, fully wrapped carbon fiber, DOT/TC approved
AC-300	300 cf CGA-346, 2400 psi, steel, DOT/TC approved
AC-444	444 cf CGA-347, 4500 psi, steel, DOT/TC/ISO/UN approved
AC-472	472 cf CGA-347, 5000 psi, steel, DOT/TC/ISO/UN approved
AC-509	509 cf CGA-702, 6000 psi, steel, DOT/TC/ISO/UN approved

CO/O₂ Blended Air Cylinder Test Kit

Item No.	Description
AQTCOO2KIT	Test Kit - CO/O ₂ monitor, flow meter, high pressure 5K reducing regulator, 10 foot high pressure connect hose with CGA-347 universal hand tight cylinder connection



CO/O₂
Cylinder Test Kit
AQTCOO2KIT

AIR-KADDY™

Modular Aluminum SCBA Cylinder Storage Racks

AIR-KADDY™ - Series 24 for Vehicles For Fire/Rescue Vehicles Requiring Narrow Profile


Item No.	Description
AK24-8	AIR-KADDY™ 8 cylinder rack - 32" H x 25¼" W x 22¼" D
AK24-11	AIR-KADDY™ 11 cylinder rack - 48" H x 25¼" W x 22¼" D
AK24-18	AIR-KADDY™ 18 cylinder rack - 60" H x 25¼" W x 22¼" D
AK24-24	AIR-KADDY™ 24 cylinder rack - 76" H x 25¼" W x 22¼" D

AIR-KADDY™ - Series 40 - Free Standing

Item No.	Description
AK40-15	AIR-KADDY™ 15 cylinder rack - 36" H x 37½" W x 22½" D
AK40-25	AIR-KADDY™ 25 cylinder rack - 60" H x 37½" W x 22½" D
AK40-35	AIR-KADDY™ 35 cylinder rack - 68" H x 37½" W x 22½" D
AK40-40	AIR-KADDY™ 40 cylinder rack - 76" H x 37½" W x 22½" D



AIR-KADDY™
with Thread Savers®
AK24-11TS



AIR-KADDY™
with Cylinders
AK40-35

Thread Saver®

Item No.	Description
VAL-TS	Thread Saver® - cylinder thread protector

Add TS to the AIR-KADDY™ model number to have Thread Savers® installed.

See our full line of AIR-KADDY™
Cylinder Storage Racks on Page 54

UNI-PAK™ SCBA Cylinder System Marine Plastic Single Cylinder UNI-PAK™



PAK-SFL™



PAK-SFLDMB™
Optional mounting bracket



Key Details:

- HDPE (Marine Board) frame
- Safety relief valve, 125 PSI
- Dimensions: 34" L x 7 $\frac{2}{5}$ " W x 4 $\frac{1}{2}$ " H
- Weight: 7 lbs. without cylinder



PAK-SFL™ & bracket mounted on forklift

Marine Plastic Single Cylinder UNI-PAK™

Item No.	Description
PAK-SFL	PAK-SFL™ single cylinder PAK, 4500 psi rated, 1 outlet, adjustable regulator, low pressure alarm whistle
PAK-SFLDMB	PAK-SFL™ mounting bracket

Cylinder Not Included

Air Storage Cylinders

Item No.	Description
AC-60	60 cf CGA-346, 2216 psi, aluminum, DOT/TC/ISO/UN
AC-87	87 cf CGA-347, 4500 psi, fully wrapped carbon fiber, DOT/TC approved

Steel Single Cylinder UNI-PAK™

Ideal for working in hazardous locations or emergency response.

Key Details:

- Steel frame - powder coated
- 2-outlet manifold, specify desired respirator fittings
- Holds either a 2216 or 4500 psi SCBA cylinder
- Adjustable regulator and low pressure alarm whistle
- Dimensions: 34" L x 7 $\frac{2}{5}$ " W x 4 $\frac{1}{2}$ " D
- Weight: 7 lbs. without cylinder

Steel Single Cylinder UNI-PAK™

Item No.	Description
PAK-UNI1	UNI-PAK™ holds a single cylinder, 2 outlet, 4500 psi rated. Carrier not included.
PAK-UNI1C	Polyethylene carrier for PAK-UNI1

Cylinder Not Included



Optional Carrier
PAK-UNI1C

Cylinder
Not
Included



UNI-PAK™
PAK-UNI1

PORTA-PAK™ PAK-3™ Breathing Air Cylinder Tray

Key Details:

- High pressure 4500 psi regulator
- Accepts 2216 psi or 4500 psi cylinders
- CGA-347 connections, universal hand tight nuts
- Low pressure alarm whistle
- In-line check valves allows independent cylinder operation
- Aluminum frame - powder coated with padded carry handles
- 4-outlet breathing air manifold with safety relief valve
- Dimensions: 29" L x 21" W x 6" D
- Weight: 25 lbs. without cylinders

PORTA-PAK™ - Twin Cylinder

Item No.	Description
PAK-3	PORTA-PAK™ tray assembly, no cylinders
PAK-WM	PORTA-PAK™ wall mount brackets, 2 each



Air Storage Cylinders

Item No.	Description
AC-60	60 cf CGA-346, 2216 psi, aluminum, DOT/TC/ISO/UN
AC-87	87 cf CGA-347, 4500 psi, fully wrapped carbon fiber, DOT/TC approved



PAK-3
Cylinders Not Included

PORTA-PAK™ Rescue Cart PAK-4R™ Rescue Cart with Removable Air Cylinder Tray

Key Details:

- CGA-347 operation at 4500 psi
- Low pressure regulator for pneumatic tools
- Low pressure alarm whistle
- Rear hose storage rack
- Adjustable output regulator w/relief valve
- In-line check valves
- Telescoping aluminum handle
- Removable air cylinder tray
- Dimensions: 33" H x 25" W x 17" D
- Weight: 37 lbs. without cylinders



Air Cylinder Trays & Accessories

Item No.	Description
PAK-4	Cylinder air tray assembly includes 3-way cylinder directional valve, secondary low pressure regulator, gauge, and additional outlet fitting. No cart, cover or cylinders.
PAK-4R	PAK-4R™ Rescue Cart - PAK-4™ with PAK-CRT included
PAK-CRT	PORTA-PAK™ cart only, 8" wheels, rear hose storage rack
PAK-CRTC	PORTA-PAK™ cart cover - aluminum
PAK-C	PORTA-PAK™ nylon cover

Cylinder Not Included



PAK-4R
Cylinders
Not Included

Cascade Cylinder Fill Assemblies & Connecting Whips

Cascade fill assemblies are used for refilling 2216 or 4500 psi SCBA cylinders. Fill assemblies include a 5 foot high pressure fill whip, gauge, universal hand-tight nut, on/off valve, and bleed valve. Cylinder connecting whips are supplied with a CGA stem, nut, and tee assembly. Additional cylinder connecting whips can be added to any of the below assemblies for multiple or extended SCBA fill capacity. **Cylinders not included. See page 38.**



CBF3-346NB



CW-30



HP-FW5-346



RG-6000FIL

Cascade Cylinder Fill Assemblies

Item No.	Description
CBF3-346NB	3000 psi, CGA-346 fill whip, 2 connecting whips
CBF3-347NB	5000 psi, CGA-347 fill whip, 2 connecting whips
CBF3-702NB	6000 psi, CGA-702 fill whip, connecting whips

Cylinders not included

Additional Breathing Air Assemblies Available.
Contact Our Customer Service Department.

Air Cylinder Connecting Whips 30" Whip with Tee - No Check Valve

Item No.	Description
CW-30	CGA-346 stem and nut - 3000 psi
CW-30HP	CGA-347 stem and nut - 5000 psi
CW-30-702	CGA-702 stem and nut - 6000 psi

Cylinders not included

30" Whip with Check Valve & Tee

Item No.	Description
CWCV-30	CGA-346 stem and nut - 3000 psi
CWCV-30HP	CGA-347 stem and nut - 5000 psi
CWCV-702	CGA-702 stem and nut - 6000 psi

Cylinders not included

Cylinder Fill Whips

Item No.	Description
HP-FW5-346	Low Pressure Fill Whip CGA-346, 3000 psi max, universal hand tight nut
HP-FW5-347	High Pressure Fill Whip CGA-347 only, 5000 psi max, hand tight nut
HP-FW5-702	Ultra High Pressure Fill Whip CGA-702, 6000 psi max, wrench tight

All Cylinder Fill Whips come with 5 foot high pressure hose, on/off valve, pressure gauge, bleed valve, and connecting nut. **Cylinders not included. Special lengths available.**

Fill Regulator

Item No.	Description
RG-6000FIL	Fill regulator, 6000 psi inlet, 0-5000 psi outlet with gauges, hand tight CGA-347 inlet and 1/4" NPT outlet
RG6KFIL702	Fill regulator, 6000 psi inlet, 0-5000 psi outlet with gauges, wrench tight CGA-702 inlet and CGA-347 outlet

Cylinders not included

High Pressure to Low Pressure Adapter

Item No.	Description
HT-346RV	Safety fill adaptor CGA-347 to CGA-346, 2400 psi relief pressure

Cascade Breathing Air Assemblies

Air Systems' breathing air assemblies offer a complete system for use with airline respirators. Additional cylinder connecting whips can be added to extend breathing air capacity with additional cylinders. **Cylinders not included. See page 38.**

CBA3-347NB




Cascade Breathing Air Assemblies

Item No.	Description
CBA3-346NB	3 cylinder breathing air assembly, 3000 psi
CBA3-347NB	3 cylinder breathing air assembly, 5000 psi
CBA3-702NB	3 cylinder breathing air assembly, 6000 psi

All assemblies include regulator, 4-outlet manifold assembly, low pressure alarm whistle, relief valve, and connecting whips with check valves. **Cylinders not included.** Please specify fittings when ordering.

Additional Breathing Air Assemblies and Low Pressure Bell Alarm Options Available. Contact Customer Service.

RG-3000-2Y



Breathing Air Regulators & Manifolds

Item No.	Description
Breathing Air Regulators (1/4" QD Fitting)	
RG-3000	CGA-346, 3000 psi, adjustable regulator, dual gauges, and relief valve
RG-3000-2Y	RG-3000 regulator with 2 fittings, includes check valve and low pressure alarm whistle, 3000 psi, CGA-346
RG-5000	CGA-347, 5000 psi, adjustable regulator, dual gauges, and relief valve
RG-5000-2Y	RG-5000 regulator with 2 fittings, includes check valve and low pressure alarm whistle, 5000 psi, CGA-347
RG-6000	CGA-702, 6000 psi, adjustable regulator, dual gauges, and relief valve
Breathing Air Manifolds	
HP-CW1-346	4-outlet manifold assembly with safety relief valve, 3000 psi regulator, CGA-346 connection, low pressure alarm whistle, 4 fittings
HP-CW1-347	4-outlet manifold assembly with safety relief valve, 5000 psi regulator, CGA-347 connection, low pressure alarm whistle, 4 fittings
HP-CW1-702	4-outlet manifold assembly with safety relief valve, 6000 psi regulator, CGA-702 connection, low pressure alarm whistle, 4 fittings

Cylinders not included. Please specify fittings when ordering.

RG-3000



High Pressure CGA Fittings


Hand Tight Fitting

Item No.	Description
SS347HT	CGA-347 universal hand tight, fits CGA-346 or 347 male thread, maximum pressure 5500 psi, gold
SS347SNHT	CGA-347 high pressure hand tight, fits CGA-347 male thread only, maximum pressure 5500 psi, silver

Wrench Tight Fittings



Item No.	Description
HPBR025	CGA-346 brass nut - Max Pressure 3000 psi
HPBR026	CGA-346 brass stem - Max Pressure 3000 psi
SS702N	CGA-702 brass nut - Max Pressure 7500 psi
SS702S	CGA-702 brass stem - Max Pressure 7500 psi

HP-CW1-347



SS347HT

SS347SNHT



Confined Space Entry Carts

Easily Customized for Any Work Site

**Confined Space Cart
(cylinder sold separately)
CSC-3072P**



Confined Space Cart holds dual large cylinders and optional breathing air assembly



The Confined Space Cart was designed to carry everything needed for confined space entry. Customize for your job requirements!

Key Details:

- Galvanized steel cabinets, rated to carry 1,200 lbs.
- Steel cart base with steerable front end
- 3 cabinet design with shelving; 2 each 14" deep, 1 each, 28" deep
- Nylon bottle straps and steel safety chains for cylinder security
- Rubber mat and straps on top to hold tripod
- Combination "T" handle with Pintle Hitch
- Dimensions 30" W x 72" L x 48" H Weight: 515 lbs.



**Breathing Air Assembly
CBA2-346NB**

Confined Space Entry Carts & Accessories

Item No.	Description
Confined Space Entry Carts	
CSC-3072	Confined space cart with 10" semi-pneumatic tires. Order cylinders separately.
CSC-3072P	Confined space cart with 10" pneumatic tires. Order cylinders separately.
Breathing Air Assemblies	
CBA2-346NB	2 cylinder breathing air assembly - 2400 psi. Order cylinders separately.
CBA2-347NB	2 cylinder breathing air assembly - 4500 psi. Order cylinders separately.
Air Cylinders	
AC-300	300 cf CGA-346, 2400 psi, steel, DOT/TC approved
AC-444	444 cf CGA-347, 4500 psi, steel, DOT/TC/ISO/UN approved
AC-472	472 cf CGA-347, 5000 psi, steel, DOT/TC/ISO/UN approved



Custom Designed High Pressure Breathing Air Cylinder Carts and Trailers

Air Systems' experienced technical staff and engineering department can design a breathing air trailer with custom storage and air delivery for ANY application. Custom mobile air cylinder carts are available for industrial plant and emergency response applications.



Emergency Response Open or Enclosed Trailers for Long Duration Breathing or Cylinder Filling Applications



Long Duration Air Storage Hazardous Response Trailers



Custom Response Trailer



Slide-In Vehicle Cylinder Rack Systems for Breathing and Filling Applications

Our Engineering Department will design a cart to your specifications and provide AutoCAD® drawings for approval.

Small SCBA Cylinder Rack System



Call Customer Service for Additional Details


All carts can be customized to meet your particular application.



Custom Air-Wagon™



Custom Rack Designs for Mobile Breathing Air Applications and Quick Filling of SCBA Cylinders



Innovative Safety Products

Air Systems International, Inc.

Corporate Headquarters
829 Juniper Crescent
Chesapeake, Virginia 23320

Toll Free Fax: (800) 247-5850

Fax: (757) 424-5348

Email: sales@airsystems.com

Catalog Request: catalog@airsystems.com

Toll Free USA and Canada:

(800) 866-8100

Phone: (757) 424-3967



Social Networks

www.facebook.com/AirSystems

www.twitter.com/AirSystemsInt

www.youtube.com/user/AirSystemsInt

www.airsystems.com