




***Breathing Air Transporter™***



***Breathing Air Where You Need It!***




***Leading The Safety Industry Since 1984***  
**www.AirSystems.com**



# The Breathing Air Transporter™

## So Many Ways to Use!

The Breathing Air Transporter™ (BAT) is a highly mobile breathing air cart holds two large air cylinders and contains a 4-outlet breathing air manifold. The BAT can be towed or used as a mobile push cart in several configurations. Fork lift guides and a center lift eye are included for easy transportation to where you need it.



## Specifications:

- Steel frame with black powder coat paint (other colors available for an additional charge)
- 4 outlet manifold with regulator, relief valve, whistle alarm, and pressure gauges
- Universal CGA-346/CGA-347 wrench tight connectors allow use of 2400 psi or 4500 psi cylinders. 6000 psi connectors available.
- **Pneumatic Tires:**
  - Rear twin 21" tires - highway rated
  - Swivel caster 10" tires rated for 350 lbs. (stowed when towing on highway)
- Lunette ring for Pintle Hitch connection
- **Lift Required from horizontal to vertical mode:** two persons using 45 lbs. lift
- **Trailer Dimensions:** Length 94", Height 25", Width 36"
- **Vertically Stored Dimensions:** Height 70"
- **Weight:**
  - Empty 262 lbs.
  - With two 444 cf air cylinders 570 lbs.



**Store Upright For Smallest Footprint**

# Breathing **AIR** Transporter™

By Air Systems International

[www.airsystems.com](http://www.airsystems.com)



Cylinders Not Included

4 outlet manifold with regulator, relief valve, pressure gauges, and low pressure alarm whistle

Locking bar with wing nuts to secure cylinders



Center Eye Lift





# Breathing Air Transporter™



**Custom  
Colors  
Available!**



## Breathing Air Transporter™ Large Air Cylinder Trailer

Item No.	Description
<b>BAT-2B</b>	BAT 2-cylinder air cart, 5000 psi, pneumatic alarm whistle. Black Powder Coated Frame
<b>AC-300</b>	300 cf CGA-346, 2400 psi, steel, DOT/TC approved
<b>AC-444</b>	444 cf CGA-347, 4500 psi, steel, DOT/TC/ISO/UN approved
<b>AC-472</b>	472 cf CGA-347, 5000 psi, steel, DOT/TC/ISO/UN approved
<b>Cylinders Not Included</b>	

**US Patent D854,274**



**3 Wheel Cart**



**Air Systems International, Inc.**

Email: [sales@airsystems.com](mailto:sales@airsystems.com)

Catalog Request: [catalog@airsystems.com](mailto:catalog@airsystems.com)

**Toll Free USA and Canada:**

**1 (800) 866-8100**

**Phone: 1 (757) 424-3967**

**For More Information: [www.AirSystems.com](http://www.AirSystems.com) or [sales@airsystems.com](mailto:sales@airsystems.com)**